



HANSA supplies the best quality in the market: A commitment that they have set themselves and is the standard on which customers base their evaluation. They meet this standard with both passion and purpose: providing products whose design, material, finish and technology continue to set new benchmarks.

DESIGNED AND ENGINEERED IN GERMANY









#### **CARTRIDGE**

Hansa tapware have an open flow cartridge where flow rates are controlled by an elliptical o-ring and honeycomb aerator which maintains a 3bar flow rate if pressure is increased higher.



## **COMFORT & SAFETY**

Hansa Cartridges allow 120° of freedom. This provides the user greater anti scald protection with young children who tend not to be so careful when moving from cold to hot



### **CHROMING**

Hansa has perfected the balance between Nickel (12 Micron) and Chromium (0.3 Micron) to ensure its premium, non tarnishing finish





#### **NICKEL FREE**

For the Chromium to adhere to the brass nickel must be applied first. It is during this process that Hansa block access to all waterways of the body ensuring the faucet is Nickel free



#### **TYPE OF BRASS**

Hansa use MS63DR
Brass. This is premium
brass due to low lead
content. 63% Copper /
36% Zinc – <0.8% Lead in
Basin and <0.3% Lead in
Kitchen Faucets



#### HIGH TECH FUNTIONAL CORE

Hansa are using plastics with DVGW Certifications, conforming to KTW Standards and tested in accordance with W270, maintaining drinking water quality as it flows through the faucet

# **VANTIS**

Typical of the HANSAVANTIS is the forward-leaning spout that gives the faucet a specially dynamic look. In daily use, the convenient operating concept proves that there is more to it than just attractive looks.

DESIGNED AND ENGINEERED IN GERMANY





**BASIN TAP** HV5242 2277 0037



XL BASIN TAP HV5237 2277



HIGH RISE BASIN TAP HV5255 2287



**BIDET TAP** HV5243 3277



**KITCHEN TAP** HV5248 2277 0037



KITCHEN TAP High Rise HV5220 2207

